

Microservices with Apache Karaf and Apache CXF: practical experience

Andrei Shakirin, Talend

Agenda

- Microservices and OSGi
- Core ideas of OSGi
- Apache Karaf
- Design and develop in OSGi: the history of one project
- Remote communication in OSGi with Apache CXF
- Conclusions and lessons learned

About Me

- Software architect in Talend Team
- PMC in Apache CXF
- Contributions in Apache Syncope, Apache Aries and Apache Karaf

Microservices

(James Lewis and Martin Fowler)

- Application as suite of small services
- Organization around business capabilities
- Each service runs in own process
- Smart endpoints and dumb pipes
- Decentralized data management and technologies
- Infrastructure automation

Microservices: Pros and Cons

Pros:

- Services themselves are simple, focusing on doing one thing well
- Systems are loosely coupled
- Services can be (relatively) independently developed and deployed by different teams
- Services can be scaled differently
- Services can (but not must) use different technologies and languages

Microservices: Pros and Cons

Cons:

- Remote calls are expensive and unreliable
- Change syntax or semantic of remote contracts introduces additional risks
- Mistakes in services boundaries definition are costly
- Testing, debugging and monitoring in distributed system became more difficult
- Infrastructure becomes more complex
- Eventual consistency

OSGi => Modular Applications

What is the module?



OSGi: Modules and Modularity



OSGi: Modules and Modularity



OSGi: software modules

- Implements a specific function
- Can be used alone or combined with others
- Provides functionality to be reused or replaced
- Has well defined name
- Has a version

 The Central Repository

jars modules

OSGi: software modules


But:

- It is hard to control which version of the functionality will be used at the runtime
- You cannot encapsulate functionality in the module
- Self-describing module contract is missing



- Keep the name and version of JAR file
 - Add explicit package dependencies (requirements)
 - Add explicit package exports (capabilities)
 - Provide API as external contract (OSGi services)
- OSGi bundle

OSGi Services



- Service Contract is one or more java interfaces
- Bundle can register the service in registry
- Other bundle can get and listen for the service
- Multiple registered services can be distinguished using properties
- No any coupling between bundles except Service Contract: neither in code, no on the classpath (different to java ServiceLoader)

Declare OSGi Services: Option 1

- Declarative Services

```
@Component
public class MyComponent implements MyComponentInterface {
    private ExternalService externalService;

    @Activate
    public void init() {
    }

    @Override
    public void doSomething() {
        externalService.callOperation();
    }

    @Reference
    public void setExternalService(ExternalService externalService) {
        this.externalService = externalService;
    }
}
```

Christian Schneider Blog: "[Apache Karaf Tutorial part 10 - Declarative services](#)"

Declare OSGi Services: Option 2

- Blueprint

```
<?xml version="1.0" ?>
<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
  xsi:schemaLocation="
    http://www.osgi.org/xmlns/blueprint/v1.0.0
    http://www.osgi.org/xmlns/blueprint/v1.0.0/blueprint.xsd">

  <bean id="myComponent" class="my.company.MyComponent">
    <property name="externalService" ref="externalService" />
  </bean>

  <reference id="externalService" interface="my.company.ExternalService" />
  <service ref="myComponent" interface="my.company.MyComponentInterface" />

</blueprint>
```

```
@Component
public class MyComponent implements MyComponentInterface {
    private ExternalService externalService;

    @PostConstruct
    public void init() {
    }


    @Override
    public void doSomething() {
        externalService.callOperation();
    }

    @Inject
    public void setExternalService(@OsgiService ExternalService externalService) {
        this.externalService = externalService;
    }
}
```




```
<plugin>
  <groupId>org.apache.aries.blueprint</groupId>
  <artifactId>blueprint-maven-plugin</artifactId>
  <executions>
    <execution>
      <phase>process-classes</phase>
      <goals>
        <goal>blueprint-generate</goal>
      </goals>
    </execution>
  </executions>
  <configuration>
    <scanPaths>
      <scanPath>my.company</scanPath>
    </scanPaths>
  </configuration>
</plugin>
```

OSGi Decoupling



OSGi Decoupling



Classic Microservices vs OSGi



Aspect	Microservices	OSGi
Application structure	Suite of small services	Suite of bundles / modules
Boundaries	Around business capabilities	Modularization around business and technical aspects
Communication	Lightweight remote	Flexible: local or remote
Contract	Remote API	Local java interfaces or remote API
Decentralized Data Management	Desired	Depends on requirements for single process, desired for multiple processes
Infrastructure Automation	Desired	Desired

Apache Karaf

- OSGi based Container using Apache Felix or Eclipse Equinox implementations
- Runs as Container, Docker Image, embedding (karaf-boot)
- Provisioning (maven repository, file, http, ...)
- Configuration
- Console
- Logging, Management, Security

Karaf Features


```
<features
  name="${project.artifactId}-${project.version}"
  xmlns="http://karaf.apache.org/xmlns/features/v1.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://karaf.apache.org/xmlns/features/v1.0.0
    http://karaf.apache.org/xmlns/features/v1.0.0 "
  >
  <feature name="order-service" version="${project.version}">
    <feature>cxfr-jaxrs</feature>
    <configfile finalname="/etc/order.cfg">
      mvn:my.company/order-service-features/${project.version}/cfg/order
    </configfile>
    <bundle>mvn:${project.groupId}/order-model/${order-domain.version}</bundle>
    <bundle>mvn:${project.groupId}/order-domain/${order-domain.version}</bundle>
    <bundle>mvn:${project.groupId}/order-service/${project.version}</bundle>
  </feature>
</features>
```




Migration to OSGi in eCommerce Project

- Business Domain: WebShop, eCommerce
- Team: 20 – 30 persons
- Initial technologies: Java, Spring, Hibernate, Apache CXF, Apache Camel, ActiveMQ, Tomcat
- Current technologies: Java, Hibernate, Apache CXF, Apache Camel, ActiveMQ, OSGi + Apache Karaf


Online Shop Architecture



Online Shop Design




Online Shop Design



Step 1: Packages Refactoring


com.mycompany
 .domain.user
 .routes
 .processors
 .converters
 .mappers
 .exceptions




com.mycompany
 .domain.user
 .account
 .password
 .deliveryaddress
 .billingaddress

- Classes for business function are grouped together -> high cohesion
- Less dependencies between packages -> low coupling
- Private and public packages are easily recognizable (model, api, impl)

Step 2: Connectors API



Step 3: Parallel Web And OSGi Deployment



Step 4: Refactor Complex Domain Logic (Camel Routes)

```
from(ENDPOINT)
.bean(availabilityOptionsMapper)
.multicast(hdrAggregationStrategy)
.parallelProcessing().timeout(100)
.to(„direct:getPrice“)
.to(„direct:getAvailability“)
.end
.validate(availabilityValidator)
.bean(priceAvailResponseMapper)
```

1

```
PriceAndAvailResult getPriceAndAvail (Cart cart,
AvailabilityOptions options);
```


2

```
ATPOptions atpOptions = mapAvailabilityOptions(options);
...
final Future<AvailabilityReturner> availabilityFuture =
    executorService.submit(availabilityTask);
final Future<PriceReturner> priceFuture =
    executorService.submit(priceTask);
...
validateAvailability(availability);
PriceAndAvailResult result = new PriceAndAvailabilityResult(availability,
    price);
```


- What type of data is transmitted?
- Debug me 😊
- Would it be harder in plain Java?

- Type safe interfaces
- Clearly shows what data is proceed
- Not essentially verbose as Camel route
- Easy to debug and understand for team

Step 4: Domains APIs And Refactoring



Step 5: Separate containers for some services



REST Communication in OSGi

- Aries Remote Service Admin (RSA)

Christian Schneider "Lean Microservices on OSGi", ApacheCon EU 2016

- Explicit via CXF

```
<?xml version='1.0' encoding='UTF-8'?>
<blueprint default-activation="eager"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
  xmlns:jaxrs="http://cxf.apache.org/blueprint/jaxrs"
  xsi:schemaLocation="
    http://www.osgi.org/xmlns/blueprint/v1.0.0 http://www.osgi.org/xmlns/blueprint/v1.0.0/blueprint.xsd
    http://cxf.apache.org/blueprint/jaxrs http://cxf.apache.org/schemas/blueprint/jaxrs.xsd">

  <!-- CXF JAXRS service -->
  <jaxrs:server id="userService" address="/1/user" staticSubresourceResolution="true">
    <jaxrs:serviceBeans>
      <ref component-id="userServiceEndpoint"/>
    </jaxrs:serviceBeans>
    <jaxrs:providers>
      <ref component-id="userServiceExceptionHandler"/>
      <ref component-id="extractTrackingInformationRequestFilter"/>
      <ref component-id="loggingServiceExecutionTimeHandler"/>
    </jaxrs:providers>
    <jaxrs:inInterceptors>
      <ref component-id="trackingInformationLoggingInInterceptor"/>
    </jaxrs:inInterceptors>
    <jaxrs:outInterceptors>
      <ref component-id="trackingInformationLoggingOutInterceptor"/>
    </jaxrs:outInterceptors>
  </jaxrs:server>

</blueprint>
```


```
@Path("/{shopId}/{userId}")
public interface UserService {

    @GET
    @Produces("application/xml")
    User getUser(
        @PathParam("shopId") String shopId,
        @PathParam("articleId") String userId);
}
```

```
public class UserServiceEndpoint implements UserService {

    @Override
    public User getUser(
        String shopId,
        String userId) {
        ...
    }
}
```

Design For Failure With Hystrix(Netflix)



Resilience With Hystrix

```
public class PaymentCommand extends HystrixCommand<PaymentResult> {

    private final PaymentService paymentService;
    private final Payment payment;

    public PaymentCommand(PaymentService paymentService, Payment payment) {
        super(Setter
            .withGroupKey(HystrixCommandGroupKey.Factory.asKey(COMMAND_GROUP))
            .andCommandPropertiesDefaults(HystrixCommandProperties.Setter()
                .withCircuitBreakerEnabled(cbConfig.circuitBreakerEnabled)
                .withExecutionIsolationThreadTimeoutInMilliseconds(cbConfig.timeoutInMilliseconds)
                .withCircuitBreakerRequestVolumeThreshold(cbConfig.requestVolumeThreshold)
                .withCircuitBreakerErrorThresholdPercentage(cbConfig.errorThresholdPercentage)
                .withCircuitBreakerSleepWindowInMilliseconds(cbConfig.sleepWindowInMilliseconds)));
        this.paymentService = paymentService;
        this.payment = payment;
    }

    @Override
    protected PaymentResult run() {
        return paymentService(payment);
    }
}
```

Resilience With Hystrix

```
try {  
    PaymentCommand paymentCommand = new PaymentCommand(paymentService, payment);  
  
    // Sync execution  
    PaymentResult result = paymentCommand.execute();  
  
    // Async execution  
    Future<PaymentResult> asyncResult = paymentCommand.queue();  
    PaymentResult = asyncResult.get();  
  
    // Reactive execution  
    Observable<PaymentResult> observable = paymentCommand.observe();  
    observable.subscribe(new Action1<PaymentResult>() {  
        @Override  
        public void call(PaymentResult v) {  
        }  
    });  
} catch (HystrixRuntimeException e) {  
    ...  
}
```

Conclusions and Lessons Learned

- Design your application modular (either in OSGi or not)
- Care about decoupling between modules, high cohesion inside the module and modules dependencies
- Continuously refactor your modules to achieve optimal boundaries
- Stay on single process at the beginning, split application into different processes only if it is required and brings benefits
- Define your remote and async APIs carefully, design remote calls for failure

OSGi Critic and Myths

OSGi is complex: in understanding, in build, in deployment and in debugging and has poor tooling support



The most understandable specification in the world
(inclusive HTTP, ConfigAdmin, DS, RSA, JTA, JMX, JPA)



```
<packaging>bundle</packaging>
...
<plugin>
  <groupId>org.apache.felix</groupId>
  <artifactId>maven-bundle-plugin</artifactId>
</plugin>
```



Features, configuration, security, console

OSGi Critic and Myths

```
Karaf
210 | Active      | 50 | 2.6.3      | Jackson-core
211 | Active      | 50 | 2.6.3      | jackson-databind
212 | Active      | 50 | 2.8.2      | Joda-Time
213 | Active      | 50 | 3.1.4      | activeio-core
214 | Active      | 50 | 5.13.3     | activemq-osgi
215 | Active      | 50 | 1.1.1      | Apache Aries Transa
ction Manager
216 | Active      | 50 | 3.2.2      | Apache Commons Coll
ections
217 | Active      | 50 | 3.3.0      | Commons Net
218 | Active      | 50 | 2.4.2      | Apache Commons Pool

219 | Active      | 50 | 2.0.0      | geronimo-j2ee-conne
ctor_1.5_spec
220 | Active      | 50 | 1.0.1      | geronimo-j2ee-manag
ement_1.1_spec
221 | Active      | 50 | 3.4.6      | ZooKeeper Bundle
222 | Active      | 50 | 1.7.0.6    | Apache ServiceMix :
: Bundles :: velocity
223 | Active      | 50 | 1.1.0.4c_5 | Apache ServiceMix :
: Bundles :: xpp3
224 | Active      | 50 | 1.4.8.1    | Apache ServiceMix :
: Bundles :: xstream
225 | Active      | 50 | 3.18.0     | Apache XBean :: Spr
ing
226 | Active      | 50 | 0.6.4      | JAXB2 Basics - Runt
ime
227 | Active      | 50 | 2.11.0.v20140415-163722-cac6383e66 | Scala Standard Libr
ary
234 | Installed   | 80 | 5.0.2.Final | Hibernate Validator
Engine
karaf@trun(>>) start 234
Error executing command: Error executing command on bundles:
Error starting bundle 234: Could not resolve module: org.hibernate.valid
ator [234]
Unresolved requirement: Import-Package: com.fasterxml.classmate; version="1.0.
0"
karaf@trun(>> _
```

OSGi Critic and Myths

OSGi is not supported by frameworks and libraries



OSGi Critic and Myths

OSGi is not supported by frameworks and libraries



OSGi Critic and Myths

The most important OSGi feature is hot updates: install, delete or replace the bundle on the fly


Yes, OSGi is designed for updates without restarting the whole application, but:

1. Normally it is safer to restart the whole Container to have reproducible state in production
2. Hot deployment is not a free lunch: application have to be designed and tested for that
3. The main OSGi gain is not a hot deployment, but clean modular application design, isolation and decoupling of modules. Hot deployment is more derivative feature
4. Can be useful in developer environment, special use cases, partly restarts

REST Communication in OSGi

- Consider REST Architectural Style principles (resources design, verbs contracts, response codes, statelessness)
- Reuse CXF providers, features and interceptors (logging, security)
- Customize (if necessary) through own JAX-RS Filters and Interceptors, MessageBodyReaders and Writers, ParamConverters, CXF Interceptors
- Consider to use Swagger to document and test your API
- Make your external calls resilient

OSGi Decoupling




Karaf Deployment


Configured as Jenkins JOBs with folwoing steps:

1. Stop Karaf Instance
2. Replace `org.apache.karaf.features.cfg`
3. Start Karaf Instance
4. Waiting for AvailabilityService

System Environments



Swagger in JAXRS API

 **swagger**

Explore

Sample REST Application

The Application

Created by users@cxf.apache.org
[Apache 2.0 License](#)

sample [Show/Hide](#) | [List Operations](#) | [Expand Operations](#)

GET /sample [Get operation with Response and @Default value](#)

Implementation Notes

Get operation with Response and @Default value

Response Class (Status 200)

Model | Model Schema

```
[
  {
    "name": "string",
    "value": "string"
  }
]
```

Swagger in JAXRS API: Java First

```
@Path("/sample")
@Api(value = "/sample", description = "Sample JAX-RS service with Swagger documentation")
public class Sample {

    @Produces({ MediaType.APPLICATION_JSON })
    @GET
    @ApiOperation(
        value = "Get operation with Response and @Default value",
        notes = "Get operation with Response and @Default value",
        response = Item.class,
        responseContainer = "List"
    )
    public Response getItems(
        @ApiParam(value = "Page to fetch", required = true) @QueryParam("page") @DefaultValue("1") int page) {

        return Response.ok(items.values()).build();
    }

    @Consumes({ MediaType.APPLICATION_JSON })
    @POST
    @ApiOperation(
        value = "Post operation with entity in a body",
        notes = "Post operation with entity in a body",
        response = Item.class
    )
    public Response createItem(
        @Context final UriInfo uriInfo,
        @ApiParam(value = "item", required = true) final Item item) {
        items.put(item.getName(), item);
        return Response
            .created(uriInfo.getBaseUriBuilder().path(item.getName()).build())
            .entity(item).build();
    }
}
```

Swagger in JAXRS API: WADL First

```
<?xml version="1.0"?>
<application xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://wadl.dev.java.net/2009/02 http://www.w3.org/Submission/wadl/wadl.xsd"
  xmlns="http://wadl.dev.java.net/2009/02" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  >

  <resources base="http://mycompany/services/1/event">
    <resource path="/events" id="mycompany.service.event.EventService">
      <doc xml:lang="en" title="The event service API">
        Main endpoint interface of event-service
      </doc>

      <resource path="/">
        <method name="POST" id="postEvent">
          <request>
            <representation mediaType="application/json" >
              <doc xml:lang="en" title="A event json">
                The "event" attribute contains the Event object in JSON format.
              </doc>
              <param name="event" style="plain" type="xs:string" required="true"/>
            </representation>
          </request>
          <response>
            <representation mediaType="text/plain" />
          </response>
        </method>
      </resource>
    </resource>
  </resources>
</application>
```